





Report NO.: MIC-ASI239687 Audit Date: 2023-05-31

Holder:

Company Name (English): ABC Technical Services Co., Ltd.

Company Name (Chinese): ABC技术服务有限公司

Showroom: https://lijingabc.en.made-in-china.com

Registered address: No.7, Lijing Road, Jiangbei New Area, Nanjing, Jiangsu, China Actual address: No.7, Lijing Road, Jiangbei New Area, Nanjing, Jiangsu, China

Indent Type: • Initial Audit

Main Product: Table lamp, Light strip, Emergency light

Sign for and on behalf of Bureau Verita

Zhangli

Auditor: Winni Reviewed by: Wendy

This document is 155.2d by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole representation is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and only and within the limits of the content or appearance of this document is unlawful will offender in the prosecuted to the fullest extent of the law.





## 1. General Information

### 1.1 Company Overview

Company Name (Chinese): ABC技术服务有限公司

Company Name (English): ABC Technical Services Co., Ltd.

**Is the English name an offshore company name?** • Yes • No

• The two companies have same legal representative

**Showroom:** https://lijingabc.en.made-in-china.com

Audited site: No.7, Lijing Road, Jiangbei New Area, Nanjing, Jiangsu, China

**Product:** Table lamp, Light strip, Emergency light

**General Comments:** ABC Technical Services Co., Ltd. is a manufacturer and trade enterprise with 693 employees,

covering an area of over10000 square meters. The company's annual foreign trade export volume exceeds 100 million US dollars. Import and export of lighting products and various

related businesses technical service.

Indent Type: • Initial

#### **Company Photos:**



#### Contents:

- 1. General Information
- 2. Export Trade Capacity
- 3. Manufacturing Capacity
- 4. Service Capacity
- 5. Quality Control Capacity
- 6. R&D Capacity
- 7. Financial Capacity
- 8. Sustainable Development Capacity
- 9. Photos

This document is used by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole representation is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and only and within the content or appearance of this document is unlawful and offenders in the prosecuted to the fullest extent of the law.

enticity of testing/inspection report & certificate, please click:http://www.bvcerchina.cn/

Page No.: 2 of 16





### 1.2 Company Information

Registration Number: 91320191250002463L Name of legal representative: Winni

Year of established: 1996-01-01 Valid Date: Long term

**Registered capital:** 800000.0000 CNY **Company Area:** 10000 square meter

Registered address: No.7, Lijing Road, Jiangbei New Area, Nanjing,

Jiangsu, China

**Business scope :** Export of various lighting products and technical

services

Products manufactured/sold scope:

Type of ownership:

• Limited Company

Company type: • Combined

Associated company: 

O Yes O No

DEC Technical Services Co., Ltd.

• The two companies have same legal representative

Registered Address: • Chinese Mainland

Business License NO.: 6799055HJ900

### 1.3 Employees Details

### Explanation of code and employee details:

| Code | Department                 | Number of employees |
|------|----------------------------|---------------------|
| Α    | General Manager            | 1                   |
| В    | Human Resources Department | 2                   |
| С    | Finance Department         | 20                  |
| D    | Sales Department           | 100                 |
| Е    | Production Department      | 500                 |
| F    | Purchase Department        | 30                  |
| G    | Warehouse                  | 40                  |

This document is used by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Godding is advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing and either the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole reproduction is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and obligations under the transaction document. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawly attil offenders must be prosecuted to the fullest extent of the law.

enticity of testing/inspection report & certificate, please click:http://www.bvcerchina.cn/

Page No.: 3 of 16





### 1.4 Contact Information

Contact person: Joy

**Fax number:** 025-88999999 **Phone number:** 17899966670

URL/Web address: https://lijingabc.en.made-in-china.com



This document is used by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of all differences advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole representation is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and obligations under the transaction document. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders make a prosecuted to the fullest extent of the law.





## 2. Export Trade Capacity

| Ex | po | rt i | Γrad | e ( | :ar | paci | itv |
|----|----|------|------|-----|-----|------|-----|
|    |    |      |      |     |     |      |     |

| Does the company have a valid Import and Export license? ( | ○ Yes | No |
|--|-------|----|
|--|-------|----|

Annual Revenue: USD 12,345,000 Annual Export Revenue: Confidential

**Customers Quantity:** 20,000 **Export experience:** 20 Years

**Proportion of foreign trade market:** • 50%~80%

Repeat Buyers Choice: • 80%~100%

Cooperated with Fortune 500: Yes \( \cap \) No

Customer's Name: Wal-Mart

The language freely used by foreign trade staff:

• Other (French 、 Spanish)

The number of foreign trading staff with relevant trading experience:

• over 10 years 200 staff

Total staffs: 200

Main Export Market:

| Market                         | Main Product                             | Main client  |
|--------------------------------|--|--------------|
| North America                  | Table lamp, Light strip, Emergency light | Confidential |
| South America                  | Table lamp, Light strip, Emergency light | Confidential |
| Europe                         | Table lamp, Light strip, Emergency light | Confidential |
| Southeast Asia/ Mideast        | Table lamp, Light strip, Emergency light | Confidential |
| Africa                         | Table lamp, Light strip, Emergency light | Customer 5   |
| East Asia (Japan/ South Korea) | Table lamp, Light strip, Emergency light | Customer 6   |
| Australia                      | Electronic cigarette                     | Customer 7   |

by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any dvised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions ne Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The to its Client and this document does not exonerate parties to a transaction from exercising all their tights and n document. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is prosecuted to the fullest extent of the law.


enticity of testing/inspection report & certificate, please click:http://www.bvcerchina.cn/

Page No.: 5 of 16





## 3. Manufacturing Capacity



### Products Situation (Top five Product Categories):

| Product | Price<br>range   | Min. order quantity | Top monthly output output |       | Total in Last<br>Year |
|---------|------------------|---------------------|---------------------------|-------|-----------------------|
| Photo   | 15-20<br>USD     | 100                 | 100 100000                |       | 1200000000            |
| Photo   | 45-50<br>USD     | 200                 | 15000                     | 10000 | 120000                |
| Photo   | 45-50<br>USD     | 200                 | 15000                     | 10000 | 120000                |
| Photo   | 45-50<br>USD 200 |                     | 15000                     | 10000 | 120000                |

by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any dvised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions ne Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The to its Client and this document does not exonerate parties to a transaction from exercising all their tights and n document. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is prosecuted to the fullest extent of the law.






Yes \( \cdot\) No

| Photo  | 45-50<br>USD | 400 15000 |  | 15000 10000 |   |  |  |
|--|--------------|-----------|--|-------------|---|--|--|
| Main Facilities :  |              |           |  |             |   |  |  |
| Picture Facility Brand of Country/ Region of Target Value/ Quantity name origin machine*day  |              |           |  |             |   |  |  |
| Photo  | Solar panels | China     |  | 800         | 2 |  |  |
| Does the factory conduct an ongoing volume reconciliation per lot or batch production to balance the quantities of claimed material purchased, in stock, and sold?   Yes  No  No |              |           |  |             |   |  |  |

Does the factory have a valid contract with each associated sub-contractor?







## 4. Service Capacity

| 4.1 Overseas service capacity                                     |                |  |                   |
|---|----------------|--|-------------------|
|   |                |  |                   |
| Do you have In-stock capacity?                                    | Yes            | ○ No   |                   |
| Do you have an overseas warehouse?                                | Yes            | ○ No   |                   |
| Do you have an overseas showroom?                                 | Yes            | ○ No   |                   |
| Do you have an overseas agent/branch?                             | Yes (UK Branch | n) O No  |                   |
| Minimum order quantity:   | Confidential   |  |                   |
| Have you participated in offline trade shows?                     | ? O Yes        | ○ No   |                   |
| Trade show name   | Date attend    | Country/Region   | Picture           |
| Hong Kong Lighting Exhibition                                     | 2019-10        | Hong Kong,China  | Photo             |
| 4.2 Export Overall Situation                                      |                |  |                   |
| Overseas services countries :                                     |                | Yes (UK)  N  | lo                |
| The content of overseas services provided :                       |                | Debugging  |                   |
|   | · ·            | • Maintain   |                   |
|   |                | <ul><li>Repair</li><li>Training</li></ul>              |                   |
|   |                | • Equipment Installation                               |                   |
| Nearest port :  |                | Shanghai Port  |                   |
| Acceptable quotation terms:                                       |                | • FOB  |                   |
|   |                | • CIF  |                   |
|   |                | • CFR<br>• EXW   |                   |
| Acceptable payment terms :  |                | • LC • T/T • D/P • PayPa<br>• Small-amount payment     | l • Western Union |
|   |                | . 21: 45   |                   |
| Average lead time (Peak Season):                                  |                | • within 15 workdays                                   |                   |
| Average lead time (Peak Season):  Average lead time (Off Season): |                | <ul><li>within 15 workdays</li><li>one month</li></ul> |                   |

This document is used by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its officer is advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole representation is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and obligations under the transaction document. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawly all offenders in the content of the law.





### 4.3 Supplier Management

Number of qualified suppliers: 100

Does the company establish and implement an effective suppliers' assessment procedure?

• Have the written procedures and followed records

Does the company have an updated list of approved suppliers?

• The approved suppliers list was updated in 2022

Are corrective & preventive actions mechanism established and implemented effectively (including the suppliers / subcontractors control, incoming inspection, process control, final inspection and customer complaint)?

• Has the clear procedure and followed records

Is there a clear procedure for handling customer complaints?

• Has the clear procedure and followed records



This document is used by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole representation is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and only and within the content or appearance of this document is unlawful and offenders in the prosecuted to the fullest extent of the law.





# 5. Quality Control Capacity

| 5.1 Overall situation  | on   |                      |                   |             |  |  |
|--|--|----------------------|-------------------|-------------|--|--|
| Is there quality assurance? O Yes No   |  |                      |                   |             |  |  |
| 5.2 Quality Manag  | ement  |                      |                   |             |  |  |
| Is there traceability iden   | ntification of raw materials?                                    | ○ No                 |                   |             |  |  |
| Are written instructions available for onsite material inspection/testing? Are the relevant records maintained?  • Has instructions and uniformly followed  Are the necessary items /documents provided at appropriate location and under control? |  |                      |                   |             |  |  |
| Work Instructions / pro  |  |                      |                   |             |  |  |
| • Have instructions and  | /testing instructions available for finisl<br>uniformly followed | ned products and th  | e relevant record | maintained? |  |  |
|  | is used for finished products?                                   |                      |                   |             |  |  |
| •  | <ul><li>Visual inspection</li><li>Function inspection</li></ul>  |                      |                   |             |  |  |
| Are non-conforming uni  Marked and segregate   | ts clearly marked/ segregated to prevend                         | ent accidental dispa | tch?              |             |  |  |
| How are the non-confor   | ming units handled?  |                      |                   |             |  |  |
| • Repaired and re-inspe  | ction  |                      |                   |             |  |  |
| Is there warehouse cont  | rol process and records?   |                      |                   |             |  |  |
| With written procedure and kept relevant records   |  |                      |                   |             |  |  |
| Number of QA and QC inspection staffs: 20  |  |                      |                   |             |  |  |
| Test Equipment Situation   | on:  |                      |                   |             |  |  |
| Ec   | quipment name  | Model                | Quantity          | Useful life |  |  |
| Bulb   | o brightness tester  | OHSP-350             | 5                 | 7           |  |  |

This document is seed by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this drawn is advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole report of the containing to the containing the





# 6. R&D Capacity

| R&D Capacity  |   |
|---|---|
| There is/are 1 R&D engineer(s) in the company.  |   |
| What is the main job responsibility for R&D engineers?  | According to annual product plan, develop annual product plan, design review, technical verification, and technical confirmation. |
| Is there any relevant design input, output, review, verification, and validation documentation available for auditor to review? | on  |
| What are the software and instruments that R&D employees are using?   | Auto CAD、CAM、PLM  |
| Do you have private mold?   |   |
| Is it professional technique supplier? • Yes • No   |   |
| Do you provide 3D software design services? • Yes • No  |   |
| What design services are provided?  |   |
| <ul> <li>Customization from Samples</li> <li>Customization from Designs</li> <li>Full Customization</li> </ul>                  | stomization • Minor Customization   |
| Are there any new products in the past year?   Yes  No  |   |
| New Products Quantity   | Picture   |
| Emergency lights 5  | Photo   |
|   |   |
| ODM service available :   OVES  Yes   | No  |
| OEM for popular brands • Yes  | No  |
| Does the company receive a national award?  |   |
| <ul> <li>National Science and Technology Progress Award: Asian Lighting Design A</li> </ul>                                     | Award   |
| Is there SDK available?   |   |

This document is the description of the safety and readily accessible portions of control of the safety and readily accessible portions of the safety and readily accessible portions of control of the safety and readily accessible portions of the safety accessible portions of the saf





## 7. Financial Capacity

## **Financial Capacity**

#### Financial Data:

| Item | Content           | 2022       | 2021       | 2020       |
|------|-------------------|------------|------------|------------|
| 1    | Operating revenue | 50,000,000 | 40,000,000 | 30,000,000 |
| 2    | Operating cost    | 20,000,000 | 10,000,000 | 10,000,000 |
| 3    | Gross profit      | 30,000,000 | 30,000,000 | 20,000,000 |
| 4    | Operating profit  | 29,000,000 | 19,000,000 | 19,900,000 |

#### **Balance Sheet:**

| Item | Content                   | 2022         | 2021         | 2020         |
|------|---------------------------|--------------|--------------|--------------|
| 1    | Cash and cash equivalents | Confidential | Confidential | Confidential |
| 2    | Total current assets      | Confidential | Confidential | Confidential |
| 3    | Total current liabilities | Confidential | Confidential | Confidential |
| 4    | Total assets              | Confidential | Confidential | Confidential |

### Cash Flow from Operating Activities:

| Item | Content  | 2022         | 2021         | 2020         |
|------|--|--------------|--------------|--------------|
| 1    | Cash received from sales of goods or rendering of services | Confidential | Confidential | Confidential |
| 2    | Sub-total of cash inflows                                  | Confidential | Confidential | Confidential |
| 3    | Sub-total of cash outflows                                 | Confidential | Confidential | Confidential |

### **Key Performance Indication:**

| Item | Content  | 2022         | 2021         | 2020         |
|------|--|--------------|--------------|--------------|
| 1    | Operating revenues year-on-year rise: (OR in this year- OR in last year) / (OR in last year) | Confidential | Confidential | Confidential |

This document is 1555 of by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his Giffern is advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of contained the safety and readily accessible portions of contained the safety and readily accessible portions of the safety and readily accessible portions of the safety and readily accessible portions of the safety and safety and safety and safety and safety and safety accessible portions of the safety and safety and safety and safety and safety accessible portions of the safety and safety and safety accessible portions of the safety and safety and safety accessible portions of the safety and safety and safety accessible portions of the safety and safety and safety accessible portions of the safe





| 2 | Gross Margin: Gross profit/ Operating revenues      | Confidential | Confidential | Confidential |
|---|---|--------------|--------------|--------------|
| 3 | Current ratio: Current assets / Current liabilities | Confidential | Confidential | Confidential |

**Remark:** All monetary amounts quoted in this part are shown in CNY, unless otherwise stated.



This document is used by Bureau Veritas. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon is solely limited to visual examination of the safety and readily accessible portions of containing the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The containing sole representation is to its Client and this document does not exonerate parties to a transaction from exercising all their tights and only and within the limits of the content or appearance of this document is unlawful attituded in the content of the content or appearance of this document is unlawful attituded in the content of the law.





## 8. Sustainable Development Capacity


| 8.1 Certification and Report  |   |  |  |  |  |  |
|---|---|--|--|--|--|--|
| Management system certification:  • ISO9001:2015 certificate • ISO 13485  Does the company hold regular fire drills in last year? ● Yes ○ No  |   |  |  |  |  |  |
| 8.2 Environment management  |   |  |  |  |  |  |
| Does the company have factory environmental impact assessment report?  Does the company have EIA reply?  Is the actual founding consistent with EIA acceptance comments?  Does the company have Pollution discharge permit?  O Yes  No  No  Does the company have Fixed pollution source pollution discharge registration?  O Yes  No             |   |  |  |  |  |  |
| 8.3 Enterprise digital transformation   |   |  |  |  |  |  |
| Business digitization:  |   |  |  |  |  |  |
| Has the enterprise started the construction of enterprise digitalization process at this stage? Has the enterprise established a technical transformation plan? Does the enterprise currently establish a database based on digital construction to effectively collect and monitor big data in real time?  | <ul><li>Yes   No</li><li>Yes   No</li><li>Yes   No</li><li>Yes   No</li></ul> |  |  |  |  |  |
| Management digitization:  Does the enterprise establish and use ERP system to realize digital management of production, procurement, quality control, logistics and other processes?  Does the enterprise establish and use OA system to manage all processes?  Has the enterprise established a CRM system for customer relationship management? | <ul><li>Yes  No</li><li>Yes  No</li><li>Yes  No</li><li>Yes  No</li></ul>     |  |  |  |  |  |
| Operation digitization: Has the enterprise established SAP system for the management of internal financial system? Has the enterprise established an AI model to process big data and achieve decision enabling management?   | <ul><li>Yes  No</li><li>Yes  No</li></ul>                                     |  |  |  |  |  |

This document is the description of the safety and readily accessible portions of control of the safety and readily accessible portions of the safety and readily accessible portions of control of the safety and readily accessible portions of the safety accessible portions of the saf





## 9. Photos



This document is the description of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of control of the safety and readily accessible portions of the safety accessible porti





Photo Photo

